

SPARE PARTS AND COMPONENTS



Specialist provider of
DAIRY EFFLUENT EQUIPMENT

NZ 0800 464 393
nevadagroup.co.nz

AUS 1800 963 490
nevadagroup.com.au

 **nevada**[®]
Sustainable Effluent Management





CONTENTS

Drag Hose System

Lay Flat Hoses	4
Lay Flat Hose Couplings	5

Slurry Tanker

Suction Hoses	7
Hose Couplings	8
Components	10

Vacuum Pumps

Maintenance	18
Complete Vacuum Pumps	19
Pump Breakdowns	20

Nevada Ltd endeavors to ensure that the information presented in this publication is accurate, current and correct. However, we do not accept any liability for errors, omissions, or outdated content. Nevada Ltd reserves the right to alter specifications, components, design and prices, at our discretion and without notice. Other conditions may apply. All material and information presented in this publication is copyright 2025 Nevada Ltd. All rights reserved. Q4-2025

Specialist provider of
DAIRY EFFLUENT EQUIPMENT

Lay Flat Hoses




Durable, Flexible, and Built to Perform. Engineered in Germany for tough agricultural applications, the Oroflex Drag Hose is designed for reliability and longevity.

Commonly used in dairy effluent drag hose systems, it offers exceptional resistance to abrasion, chemicals, and hydrocarbons. With high torsional strength, it ensures smooth handling and durability in demanding conditions.

Ideal for efficient slurry transfer, Oroflex provides the strength and flexibility needed for modern dairy farming operations.

Features

- 102, 127 and 152mm diameter
- 2.30 - 4.00mm wall thickness
- 5yr manufacturers warranty
- Standard hose length: 200m



Specifications

	RUBBER HOSE				PU HOSE		
	HOSHO130	HOSHO226	HOSHO229	HOSHO221	HOSHO208	HOSHO199	HOSHO223
Inside Diameter	3" (76mm)	4"(102mm)	5"(127mm)	6"(152mm)	4" (102mm)	5" (127mm)	6" (152mm)
Wall Thickness	2.30mm	3.10mm	3.20mm	4.00mm	3.5mm	3.7mm	3.8mm
Working Pressure	175psi	304psi	304psi	290psi	245psi	203psi	175psi
Burst Pressure	460psi	754psi	609psi	725psi	609psi	507psi	435psi
Tensile Strength	5,3000kg	13,000kg	15,500kg	23,400kg	13,100kg	18,000kg	25,000kg
Nominal Weight	0.68kg/m	1.25kg/m	1.70kg/m	2.50kg/m	1.3kg/m	1.7kg/m	2.05kg/m

Lay Flat Hose Couplings



Storz Layflat Hose Couplings

Quality swivel layflat hose couplings.

CODE	DESCRIPTION
ACFV101.53	Storz coupling for laylat hose - 100mm
ACFV125-127	Storz coupling for laylat hose - 125mm
ACFV150-150	Storz coupling for laylat hose - 150mm



Storz Coupling Spanner

CODE	DESCRIPTION
ACFVKEY100	Storz coupling spanner - 100mm
ACFVKEY150-125	Storz coupling spanner - 125-150mm



Storz Reducer Fittings

Reducer couplings for layflat hose systems.

CODE	DESCRIPTION
ACFV125-100	Storz coupler reducer: 5"-4" (125mm-100mm)
ACFV150-100	Storz coupler reducer: 6"-4" (150mm-100mm)
ACFV150-125	Storz coupler reducer: 6"-5" (150mm-125mm)



Storz Coupler Adapter Female - BSPF

CODE	DESCRIPTION
ACFV100-4	Storz coupler adapter female - 100mm (4")
ACFV125-5	Storz coupler adapter female - 125mm (5")
ACFV150-6	Storz coupler adapter female - 150mm (6")



Slurry Tanker Parts and Components





Complete Suction Hose with fittings

Medium duty PVC hose suitable for water, most chemicals and slurries and as delivery line. Cheaper option for suction lines on pumps and slurry tankers.

CODE	DESCRIPTION
ACVHC150X3	6" x 3m c/w male and female fittings
ACVHC150X5	6" x 5m c/w male and female fittings
ACVHC200X3	8" x 3m c/w male and female fittings
ACVHC200X5	8" x 5m c/w male and female fittings



Rubber Suction/Discharge Hose

Hosing used for vacuum and pressure lines in effluent and industrial applications. Polyester yarn mesh, reinforced with galvanised wire coil.


CODE	INTERNAL Ø	WALL THICKNESS	WORKING PRESSURE
HOSHO103	2" (50mm)	6.5mm	10 bar
HOSHO104	2½" (64mm)	7.0mm	10 bar
HOSHO105	3" (76mm)	8.0mm	10 bar
ACVRH80	3⅝" (80mm)	8.4mm	10 bar
HOSHO139	4" (100mm)	8.5mm	10 bar
HOSHO140	5" (127mm)	9.0mm	7 bar
HOSHO176	6" (150mm)	9.5mm	5 bar



Heavy Duty Suction Hose

Heavy duty PVC suction hose suitable for water, most chemicals and slurries plus can also be used as delivery line. Very hard wearing and still very flexible. Used for suction lines on large pumps and slurry tankers. Suitable for oil, rated to ~90% vacuum and temperatures -10°C to +60°C

CODE	DESCRIPTION
ACVH150X3	6" x 3m
ACVH150X5	6" x 5m
ACVH200X3	8" x 3m
ACVH200X5	8" x 5m



PVC Suction Hose

Medium duty flexi suction hose designed for most suction and delivery applications in conveying fresh and salt water, chemical solutions and abrasive solids or slurries.

CODE	DESCRIPTION
HOSHO126	64mm Internal diameter (2 ½")
HOSHO113	76mm Internal diameter (3")
HOSHO168	100mm Internal diameter (4")
HOSHO187	125mm Internal diameter (5")



Rigid Steel Suction Pipe

Galvanised suction pipe used as first section of suction line, going into the pond.

CODE	DESCRIPTION
ACVHC150X3M	Rigid steel suction pipe, straight (6" x 3m)
ACVHC150X4M	Rigid steel suction pipe, straight (6" x 4m)
ACVHC200X3M	Rigid steel suction pipe, straight (8" x 3m)
ACVHC200X4M	Rigid steel suction pipe, 45° bend (8" x 4m)



Dallai Couplings

Quick Attach Coupler

Heavy duty galvanised coupler with quick attach mechanism that is ideal for wagon-mounted waste handling systems (eg, slurry tankers).

Allows for quick connection of 6" diameter attachments.

CODE	DESCRIPTION
ACVQC150	Quick attach hose coupler - 6" galvanised



Dallai Coupler: Male with Hose Tail

Galvanised steel coupler. Ideal for farm dairy effluent systems and wagon-mounted waste handling systems (eg, slurry tankers).

CODE	DESCRIPTION
ACSM150X150	150x150mm Male hose tail (suits 150mm hose)
ACSM200X200	200x200mm Male hose tail (suits 200mm hose)



Dallai Coupler: Female with Hose Tail

Galvanised steel coupler. Ideal for farm dairy effluent systems and wagon-mounted waste handling systems (eg, slurry tankers).

CODE	DESCRIPTION
ACFSM150X150	150x150mm Female hose tail (suits 150mm hose)
ACFSM200X200	200x200mm Female hose tail (suits 200mm hose)



Flanged Female Dallai

Galvanised coupling used on slurry tankers to mount spreader plates and side discharge nozzles.

CODE	DESCRIPTION
ACV150FC	Flanged female dallai - 6"



Dallai Coupling O-Ring

Rubber O-ring for ensuring a good seal between female and male Dallai couplers.

CODE	DESCRIPTION
ACV150ORS	Coupler O-ring - 6"
ACV200ORS	Coupler O-ring - 8"



Bauer Type Pressure O-Ring

Rubber O-ring for ensuring a good seal between female and male Bauer couplers.

CODE	DESCRIPTION
ACPO76	Coupler O-ring - 76mm
ACPO108	Coupler O-ring - 108mm
ACPO133	Coupler O-ring - 133mm
ACPO159	Coupler O-ring - 159mm



Bauer Type Pressure Coupling: Male with Hose Tail

Galvanised steel pressure coupling suitable for most pressure hoses and pump situations.

CODE	DESCRIPTION
ACPM76X76	M-HT 76x76 (suits 76mm hose)
ACPM108X100	M-HT 108x100 (suits 100mm hose)
ACPM133X125	M-HT 133x125 (suits 120mm hose)
ACPM159X150	M-HT 159x150 (suits 150mm hose)



Bauer Type Pressure Coupling: Male with Male BSP

Galvanised steel pressure coupling suitable for most pressure hoses and pump situations.

CODE	DESCRIPTION
ACPMT76X21/2	M-TH 76x2½" BSP
ACPMT76X3	M-TH 76x3" BSP
ACPMT108X4	M-TH 108x4" BSP
ACPMT133X5	M-TH 133x5" BSP
ACPMT159X6	M-TH 159x6" BSP



Bauer Type Pressure Coupling: Female with Hose Tail

Galvanised steel pressure coupling suitable for most pressure hoses and pump situations.

CODE	DESCRIPTION
ACPF76X76	FM-HT 76x76 (suits 76mm hose)
ACPF108X100	FM-HT 108x100 (suits 100mm hose)
ACPF133X125	FM-HT 133x125 (suits 120mm hose)
ACPF159X150	FM-HT 159x150 (suits 150mm hose)



Bauer Type Pressure Coupling: Female with Male BSP

Galvanised steel pressure coupling suitable for most pressure hoses and pump situations. Compatible with most Dallai couplings.

CODE	DESCRIPTION
ACPFT76X21/2	FM-TH 76x2½" BSP
ACPFT73X3	FM-TH 76x3" BSP
ACPFT108X4	FM-TH 108x4" BSP
ACPFT133X5	FM-TH 133x5" BSP
ACPFT159X6	FM-TH 159x6" BSP



Slurry Tanker

Easel for Auto-Fill Suction Arm

HD galvanised filling station for use with auto-fill arms on slurry tankers. Large 500mm funnel allows for quick and easy alignment of arm and ensures a good seal with 8" suction lines. Female coupler attaches to 8" diameter hose allowing for rapid filling from dairy effluent ponds.

CODE	DESCRIPTION
ACVEASELR	Auto-fill easel – assembled: 8" diameter



Replacement Rubber Cone for Auto-Fill Easel

Rubber cone/funnel used on the top of auto-fill easel.

CODE	DESCRIPTION
ACVACO	Rubber easel cone: 8"



Rubber Flexi Joint/Bellow

Rubber flexi joint used on slurry tanker auto-fills.

CODE	DESCRIPTION
ACVRB150	Rubber flexi joint: 6" (150mm)
ACVRB200	Rubber flexi joint: 8" (200mm)



Galvanised Suction Basket

Galvanised filter basket with hose tail prevents foreign objects from entering the suction hose and causing blockages.

CODE	DESCRIPTION
ACVSB100	Suction hose filter basket: 4"
ACVSB125	Suction hose filter basket: 5"
ACVSB150	Suction hose filter basket: 6"
ACVSB200	Suction hose filter basket: 8"



Rotating Joint for Suction Tube

Heavy duty cast steel rotating joint, suitable for auto-fill arms on slurry tankers.

CODE	DESCRIPTION
ACVAF100	Rotating joint 4"
ACVAF150	Rotating joint 6"
ACVAF200	Rotating joint 8"



Parts and Components

Tank Level Indicator

(A) Plastic level indicator (sight glass) with O-ring. Ideal for wagon-mounted waste handling systems (eg, slurry tankers). Threads into 3" diameter socket. (B) Weld-on threaded socket for sight glass.

CODE	DESCRIPTION
(A) ACV75SL	Level indicator (sight glass), threaded with O-ring 3"
(B) AC50SL	Level indicator (sight glass), threaded with - ring 2"
(C) ACVSGF75	Steel socket, weld-on for sight glass 3"
(D) ACSG100	4" Push in type glass



Tank Level Indicator Sight Tube

Level indicator used on larger tanks. Large transparent perspex tube to avoid blockages.

CODE	DESCRIPTION
ACVSGT100L	Sight tube flange mount including top flexi pipe 6"
ACVST100	Sight tube only



Trough Cleaning Kit

Handy piece of kit that turns your effluent tanker into a trough cleaner. Mounts on any slurry tanker with a 6" flange. Complete with camlocks for easy attachment.

CODE	DESCRIPTION
ACVEZYT	5mx50mm Trough cleaner



Flotation Tyre

Agricultural flotation implement tyres. Ribbed pattern.

CODE	DESCRIPTION
ACVTY550/60	Flotation tyre, 550/60-22.5 (16 ply)
ACVTY550/45	Flotation tyre, 550/45-22.5 (16 ply)



Swivel Towing Eye

Cast swivel towing eye c/w weld on sleeve.

CODE	DESCRIPTION
(A) MISMI768	14 tonne towing capacity
(B) MISMI609	25 tonne towing capacity
(C) MISMI828	38 tonne towing capacity
(D) ACVFSTE	38 tonne flange mount towing eye



Slurry Tanker

Rainwave™ Complete

Designed to have an oscillating system that is self-driven. There is no hydraulic or electric drive, it simply oscillates from side to side to give a nice wide and even spread of effluent across the paddock. As the system oscillates, large droplets fall through the grass/crop onto the ground surface. There are virtually no wind drift issues and no volatilisation of nitrogen disappearing into the atmosphere. With minimal smell or odour, the Nevada RainWave™ gives an advantage for efficient and accurate spreading and can be retro-fitted to existing Nevada Slurry Tankers.

CODE	DESCRIPTION
RWSINGLEKIT77	Rainwave complete kit 77mm



Rainwave™ Repair Kit

CODE	DESCRIPTION
ACMRK	Rainwave repair kit
ACMRTCSPR	Rainwave top over centre spring



Galvanised Spreader/Splash Plate for Slurry Tanker

For use on slurry tankers. Uniform spread pattern diameter of up to 14m (depending on tanker) means farm dairy effluent can be spread across paddocks at a low application rate. Attaches to 6" female coupler.


CODE	DESCRIPTION
ACVSP01	Tanker spreader plate: 6"



Side Discharge Nozzle

Side discharge spreader kits (for hillsides).

CODE	DESCRIPTION
ACVHSK	Side discharge nozzle: 6"



Parts and Components

Flanged Brass Piston Valve O-Ring

Replacement O-ring seals for flanged brass gate valves.

CODE	DESCRIPTION
ACV170OR	Gate valve O-ring 170mm diameter 6"
ACV225OR	Gate valve O-ring 225mm diameter 8"



Flanged Brass Piston Valve

Quality Italian-made piston valve with O-ring gasket for inlet and outlet shut-off. Can be operated by hydraulics or manually with a hand lever. Ideal for use with wagon-mounted waste handling systems (eg. slurry tankers).

CODE	DESCRIPTION
ACV150V	Flanged brass piston valve with O-ring seal 6"
ACV200V	Flanged brass piston valve with O-ring seal 8"



Flanged Brass Piston Valve Replacement Wedge

Replacement brass wedge suited for brass piston gate valves – for RIV Perla range.

CODE	DESCRIPTION
ACV150WEDGE	Brass 6" valve wedge
ACV200WEDGE	Brass 8" valve wedge



Brass Gate Valve Bell Housing

Replacement Brass Bell Housing suited to piston valves – to suit RIV Perla range.

CODE	DESCRIPTION
ACVBH150	Bell housing, 6 bolt – suit 6" valves
ACVBH200	Bell housing, 6 bolt – suit 8" valves



Hand Lever for Gate Valve

Galvanised steel hand lever for the manual operation of piston/gate valves on slurry tankers.

CODE	DESCRIPTION
ACVH150	Gate valve hand lever



Slurry Tanker

Primary Shut-Off Valve

Quality Italian-made shut-off valve for protection of vacuum pump.

CODE	DESCRIPTION
ACV50V100	Prevents tankers from overfilling - 80mm



Primary Shut-Off Balls

Primary shut-off balls for inside slurry tanker. Suits Nevada slurry tanks and other brands.

CODE	DESCRIPTION
ACV50B120	120mm Diameter, weighted
ACV50B160	160mm Diameter, floating



Secondary Shut-Off Valve/Moisture Trap

Quality Italian-made shut-off valve prevents liquid from entering vacuum pumps. Ideal for use with wagon-mounted waste handling systems (eg, slurry tankers) where it works as the secondary shut-off. 1.5" diameter inlet/outlet.

CODE	DESCRIPTION
ACVSV2	60mm Bent hoesetail
ACVSV3	80mm Bent hoesetail
ACVSGMB60	Replacement bowl to suit ACVSV3



Large Moisture Trap

Protects vacuum pump from moisture entering pump, destroying vanes.


CODE	DESCRIPTION
ACVSR1004	100mm and 80mm hose tail with 2" BSP drain



Oil Droppers

Oil droppers used on vacuum pumps or other applications requiring small regulated amounts of oil constantly.

CODE	DESCRIPTION
(A) ACV2WOP	2-Way adjustable oiler
(B) ACVDAGRI	Automatic oiler
(C) ACB5040200008	3-Way adjustable oiler
(D) ACB5040200002	1-Way adjustable oiler



Parts and Components

Pressure Relief Valve

Quality Italian-made pressure relief valve for protection of vacuum tanks and pump. 1.5" diameter. BSP thread. Adjustable Pressure (0.5-1.5 bar). Un-calibrated.



CODE	DESCRIPTION
ACVVRV10	1 1/2" BSP pressure relief
ACVVRV2	2" BSP pressure relief

Vacuum Relief Valve

Quality Italian-made vacuum relief valve for protection of vacuum tanks and pump. Un-calibrated.

CODE	DESCRIPTION
ACVVRV38	1 1/2" BSP vacuum relief



Vacuum/Pressure Relief Valve

Large pressure/vacuum relief valve. 6" flanged mounts for mounting on top of tanker.

CODE	DESCRIPTION
ACVVPV5	Vacuum/pressure relief valve for pump overload protection 6"



Rubber Flange Gaskets

Rubber gasket used on components mounted on tankers with 6" or 8" 4-bolt flange.

CODE	DESCRIPTION
ACVTAN2	Rubber gasket 3"
ACVRG1504B	Rubber gasket 6"
ACVRG2004B	Rubber gasket 8"



Glycerine Vacuum/Pressure Gauge

Italian-made glycerine pressure/vacuum gauge for pumps. Ideal for use with wagon-mounted waste handling systems (eg. slurry tankers). Bottom entry. 1/2" BSP thread.

CODE	DESCRIPTION
MISMI834	Glycerine vacuum/pressure gauge



Slurry Tanker

Hydraulic Ram, Double-Acting

Hydraulic double-acting ram used on brass gate valves for hydraulic activation of gate valve.

CODE	DESCRIPTION
ACV150RAM	Hydraulic ram, double-acting 6"
ACV200RAM	Hydraulic ram, double-acting 8"



Hydraulic Ram with Spring Return

CODE	DESCRIPTION
ACVSRV150	Single acting 6", external spring
ACVSA150	Single acting hydraulic ram with internal spring 6"
ACVSA200	Single acting hydraulic ram with internal spring 8"



Hydraulic Foot Jack

Spring return, unpainted hydraulic foot jack.

CODE	DESCRIPTION
ACVJSD65MM	4 tonne hydraulic foot jack, 65mm diameter spear
ACVJSD85MM	6 tonne hydraulic foot jack, 85mm diameter spear



Hydraulic Hand Pump

Manual Hydraulic Hand Pump designed for hydraulic parking jacks. 1/4" BSP Socket.

CODE	DESCRIPTION
ACVHPMP	Manual hydraulic pump, 3L capacity incl. lever
ACVHPMPL	Hand lever suits manual hand pump



Auto-Fill Hydraulic Rams

Hydraulic cylinders used on Nevada auto-fill systems. May suit other brands. 1/4" BSP fittings.

CODE	DESCRIPTION
(A) ACVAFRAM	Double acting hydraulic ram for lifting/lowering auto-fill arm
(B) ACVRAFRAM	Vacuum release hydraulic ram, double acting, 4 bolt flange mount



Parts and Components

Hydraulic Brake Rams

Single acting hydraulic with internal spring return.

CODE	DESCRIPTION
ACVBRAM	Hydraulic Brake Ram D.25x85



Steering Rams

Double acting hydraulic steering ram. As used on Nevada Tankers, may suit other brands.

CODE	DESCRIPTION
ACVSTAXL	ADR double acting hydraulic steering ram 110T



Steering Shock Absorber

Galvanised steel pressure coupling suitable for most pressure hoses and pump situations. Compatible with most Dallai couplings.

CODE	DESCRIPTION
(A) ACVSHOCKAX	Steering shock absorber
(B) ACVSAXSAB	H/Duty damper brackets



U-Bolts

High quality replacement U-bolts. Includes nuts and washers.

CODE	DESCRIPTION
ACASUB24x24	Axle U-bolt - 111x240x24mm
ACASUB24x22	Axle U-bolt - 86x220x24mm
ACASUB24x20	Axle U-bolt - 102x220x24mm



Vacuum Pump

Vacuum Pump Oil

Motor oil specifically graded to suit Battioni and Jurop vacuum pumps.


CODE	DESCRIPTION
OILOI345	5 litres
OILOI318/A	20 litres



Jurop Vacuum Pump Parts

PN/PNR Series Gasket Set

CODE	DESCRIPTION
1892000000	PN84 M gasket set
1892000000	PN106 M gasket set
18920CZQB0	PN155 M gasket set
18920102E0	PNR-E 83M gasket set
18920027E0	PNR-E 124 M gasket set



PN/PNR Series Vane Set

CODE	DESCRIPTION
1601600800	PN84 M vane set
1601601000	PN106 M vane set
16016AB6B0	PN155 M vane set
1601605400	PNR-E 83M vane set
1601605600	PNR-E 124 M vane set



Battioni Vacuum Repair and Maintenance Kit

Replacement vanes, seals and gaskets for Battioni MEC and Agri Series vacuum pumps. Repair kits for other Battioni pump models also available.

CODE	DESCRIPTION
ACVMEC6500RK	Vacuum pump repair kit for MEC6500
ACVMEC8000RK	Vacuum pump repair kit for MEC8000
ACVMEC9000RK	Vacuum pump repair kit for MEC9000
ACVMEC11000RK	Vacuum pump repair kit for MEC11000
ACVAGRI72RK	Vacuum pump repair kit for Agri72
ACBPB13500RK	Vacuum pump repair kit for Ballast 13500
ACVAGRI84RK	Vacuum pump repair kit for Agri84
ACBPB16000RK	Vacuum pump repair kit for Ballast 16000



Parts and Components

Battioni Agri and MEC Series pumps are commercial grade pumps that are commonly used in agricultural applications. These pumps feature self-adjusting vanes, built-in changeover valves for vacuum or pressure operation and positive lubrication supplied by a built-in gear pump and oil reservoir. They are designed primarily for use on slurry tankers, where the pump can be powered by a tractor PTO.

Battioni MEC 6500M

CODE	DESCRIPTION
ACVMEC6500	7000L p/min Flow Air cooled 60% Duty Cycle. 600RPM. Forced Lubrication and 60mm Outlet



Battioni MEC 8000

CODE	DESCRIPTION
ACVMEC8000	8100L p/min Flow Air cooled 60% Duty Cycle. 600RPM. Forced Lubrication and 60mm Outlet



Battioni MEC 9000M

CODE	DESCRIPTION
ACVMEC9000	9000L p/min Flow Long Life Vanes. Air cooled 60% Duty Cycle. 540RPM. Forced Lubrication and 80mm H/Tails



Battioni Ballast 13500M

CODE	DESCRIPTION
ACBPB13500	13500L p/min Flow Long life Vanes. Air Injection cooling giving 70% Duty Cycle. Unique 'Crash Protection System'. Forced Lubrication and 80mm H/Tails



Battioni Ballast 16000MA

CODE	DESCRIPTION
ACBPB16000	16000L p/min Flow Long Life Vanes. Air Injection cooling giving 70% Duty Cycle. Unique 'Crash Protection System' Automatic Lubrication and 100mm H/Tails. 1000RPM



Battioni Ballast 16500MA


CODE	DESCRIPTION
ACBPB16500	16800L p/min Flow Long Life Vanes. Air Injection cooling giving 70% Duty Cycle. Unique 'Crash Protection System' Automatic Lubrication and 100mm H/Tails. 1000RPM



Battioni KTS 1080


CODE	DESCRIPTION
Special Order	18,000L p/min Flow Long Life Blades 30 l/min integrated cooling pump, 4-ways valve, integrated check valve 4 points automatic lubrication by copper pipes side outlets, exhaust elbows, depression valve, overpressure valve Crash protection System






ARTICLE	CODE	DESCRIPTION
AM1	4010101006	HOUSING - MEC 5000
AMEC1	4010101007	HOUSING - MEC 6500 LF
AMEC1/LA	4010101097	HOUSING - MEC 6500 LA
AME1	4010101008	HOUSING - MEC 8000 LF
AME1/LA	4010101099	HOUSING - MEC 8000 LA
AM2	4010301003	GEARBOX - MEC 5-6,5-8000/M
AM3	4010401003	FRONT AND BACK FLANGE - MEC 5-6,5-8000
AM4	4030108007	FLANGE GASKET - MEC 5-8000
AM6	5050707002	KEY - 6X6X25
AM7	4070113006	STANDARD BLADE - MEC 5000 300X46.5X6.5
AMEC7	4070113007	STANDARD BLADE - MEC 6500 370X46.5X6.5
AME7	4070113008	STANDARD BLADE - MEC 8000 450X46.5X6.5
AM7/SP	4070113123	LONG LIFE BLADE - MEC 5000 300X46.5X6.5
AMEC7/SP	4070113124	LONG LIFE BLADE - MEC 6500 370X46.5X6.5
AMEC7/SC	4070113180	STANDARD BLADE S.C.- MEC 6500 369X46.5X9.7
AM12	5012107010	BALL BEARING - 6307
AM18	5030300006	OIL SEAL - 48X62X8
AM21	5060605001	OIL PLUG - D 3/8" GAS
AM23	5050107018	SCREW - M 10X16 TE
AM24	5050207034	SECURITY WASHER D 10
AM25	5012107006	BALL BEARING - 6304
AM26	4020507002	GEAR WITH SHAFT - Z55-M2,5 MEC 2-5000
AME26	4020507003	GEAR WITH SHAFT - Z53-M2,5 MEC 6,5-8000
AM27	5030300005	OIL SEAL - 35X62X10
AM28	4030108006	GEARBOX COVER GASKET - MEC 2-8000
AM30	5060105004	OIL LEVEL PLUG - D 3/8" GAS
AM32	5050300001	SELF-LOCKING NUT - M 24X2X15
AME32	5050300002	SELF-LOCKING NUT - M 27X2X16
AM33	4020607002	PINION - Z21-M2,5 MEC 2-5000
AME33	4020607003	PINION - Z23-M2,5 MEC 6,5-8000
AM36	4010901003	EXHAUST FLOW - MEC 5-8000

ARTICLE	CODE	DESCRIPTION
AM37	4030110003	MANIFOLD SIDE GASKET - MEC 5-8000
AM38/DX	4010501004	MANIFOLD - MEC 5-8000 DX
AM38/SX	4010501025	MANIFOLD - MEC 5-8000 SX
AM39	4030109005	MANIFOLD GASKET - MEC 5-8000
AM40	5030300007	OIL SEAL - 30X40X7 TC
AM41	5060410006	RUBBER BALL - D 70
AM42	4030109006	MANIFOLD COVER GASKET - MEC 5-8000
AM45	4012007002	SPRING - MEC 5-8000
AM48	5012107004	BALL BEARING - 6208
AM60	4010801007	HANDLE - MEC 2-8000
AM61	4010601075	MANIFOLD COVER - D 60 MEC 5-6500
AME61	4010601076	MANIFOLD COVER - D 80 MEC 8000
AMEC61	4010601016	MANIFOLD COVER - D 76 MEC 5-6,5-8000
AM62	4010701012	REVERSING GEAR - MEC 5-8000
AM94	4010601115	GEARBOX COVER - MEC 2-8000 CE
AM95	4060505000	SHAFT GUARD - CE
AM96	5050906006	PLUG - M 16X1.5 - DIN 908
AM97	5050202007	ALUMINIUM WASHER - D 16X20X1,5
AM106	5060605009	OIL LEVEL ROD - 30X130 MM
AM108	5050107197	GALVANIZED SCREW - M 6X10 TEF
AM109	5050507011	CIRCLIP - D 80 I
AM115	5050903001	PLUG - M 10X1 - DIN 906
AM116	5050107109	SCREW - M 10X25 TEF - FL/ZIGR 8.8
AM117	5050107108	SCREW - M 8X25 TEF - FL/ZIGR 8.8
AM123	6010201006	REBUILD KIT - MEC 5000 STANDARD
AME123	6010201007	REBUILD KIT - MEC 6500 STANDARD
AMEC123	6010201008	REBUILD KIT - MEC 8000 STANDARD
AM123/SP	6010201019	REBUILD KIT - MEC 5000 LONG LIFE
AME123/SP	6010201020	REBUILD KIT - MEC 6500 LONG LIFE
AMEC123/SP	6010201021	REBUILD KIT - MEC 8000 LONG LIFE



ARTICLE	CODE	DESCRIPTION
CM1	4010101085	HOUSING - MEC 9000 LF
CM1/LA	4010101101	HOUSING - MEC 9000 LA
CME1	4010101086	HOUSING - MEC 11000 LF
CME1/LA	4010101104	HOUSING - MEC 11000 LA
CMEC1	4010101087	HOUSING - MEC 13500 LF
CMEC1/LA	4010101108	HOUSING - MEC 13500 LA
CM2	4010301028	GEARBOX - MEC 9000-11000-13500/M
CM3	4010401061	FRONT & BACK FLANGE MEC 9000-11000-13500
CM4	4030108048	BODY GASKET MEC 9-11-13500
CM5/M10	4010220175	ROTOR - MEC 9000/M KEY 10
CME5/M10	4010220176	ROTOR - MEC 11000/M KEY 10
CMEC5/M10	4010220177	ROTOR - MEC 13500/M KEY 10
CM6	5050707032	KEY - 10X8X25
CM7	4070113192	LONG LIFE BLADE MEC 9000 300X60X6,5
CME7	4070113193	LONG LIFE BLADE MEC 11000 360X60X6,5
CMEC7	4070113194	LONG LIFE BLADE MEC 13500 460X60X6,5
CM8	5012207001	COMPRESSION & THRUST RING D80
CM9	5050507017	CIRCLIP - D 40 E - DIN 471
CM10	4010801043	HANDLE - MEC 9-13500
CM12	5012107010	BALL BEARING - 6307
CM13	5030210028	SEAL RING - OR 2337 85.34X1.78 LF PUMP
CM15	5040303015	BLACK PLUG - D 2" GAS
CM18	5030300041	OIL SEAL - 48X62X10 DCV
CM21	5060605001	OIL PLUG - D 3/8" GAS
CM23	5050107018	SCREW - M 10X16 TE
CM24	5050202002	ALUMINIUM WASHER - D 10X16X1,5
CM25	5012107006	BALL BEARING - 6304
CM26/M	4020507003	GEAR WITH SHAFT - Z53-M2,5 MEC 6,5-8000
CM26/MA	4020507012	GEAR WITH SHAFT MEC9-13500/MA Z43-M2,5
CM27	5030300005	OIL SEAL - 35X62X10
CM28	4030108049	GEARBOX COVER GASKET MEC 9-11-13500
CM29	5060605005	BLACK CAP - D 1 1/2 GAS
CM30	5060105004	OIL LEVEL PLUG - D 3/8" GAS
CM32	5050300002	SELF-LOCKING NUT - M 27X2X16
CM33/M10	4020607059	PINION MEC 9-11-13500/M Z23-M2,5
CM33/MA	4020607057	PINION MEC 9-11-13500/MA Z33-M2,5
CM34	5050207032	WASHER - D 10X28X4 - DIN 6340


ARTICLE	CODE	DESCRIPTION
CM39	4030109035	MANIFOLD GASKET MEC 9-11-13500
CM40	5030300015	OIL SEAL - 35X50X7 TC
CM41	5060410007	RUBBER BALL - D 90
CM45	4012007011	SPRING - MEC 9-11-13500
CM48	5012107004	BALL BEARING - 6208
CM57	4011707067	SPACER ROTOR M MEC 9-11-13500 M-G
CM58	5050207031	TEFLON WASHER REV.GEAR MEC 9-11-13500
CM59	5101800000	THERMO LABEL
CM61	4011501030	SUCTION ELBOW D 76 MEC 9-11-13500
CME61	4011501031	SUCTION ELBOW D 80 MEC 9-11-13500
CMEC61	4011501032	SUCTION ELBOW D 100 MEC 9-11-13500
CM62	4010701018	REVERSING GEAR MEC 9-13500
CM63	4010406017	FLANGE FOR ELBOW - STAR D80
CME63	4010406015	FLANGE FOR ELBOW - STAR D100
CM64	5030210008	SEAL RING - OR 189 STAR UL
CM65	4010601056	MANIFOLD COVER - MEC 9_13500-STAR-WPT/UL
CM66	5050107054	SCREW - M 10X35 TE
CM67	4010501026	MANIFOLD MEC 9000-11000-13500
CM68	4030109025	MANIFOLD COVER GASK-MEC 9_13500-STAR-WPT/UL
CM83	4010901018	REVOLVING ELBOW - MEC 9_13500-STAR D 76
CME83	4010901019	REVOLVING ELBOW - MEC 9_13500-STAR D 80
CMEC83	4010901020	REVOLVING ELBOW - MEC 9_13500-STAR D 100
CM94	4010601154	GEARBOX COVER - MEC 9-11-13500
CM95	4060505000	SHAFT GUARD - CE
CM96	5050906006	PLUG - D 16X1 DIN 908
CM97	5050202007	ALUMINIUM WASHER - D 16X20X1,5
CM106	5060100001	OIL LEVEL ROD - MM 18X55
CM108	5050107107	GALVANIZED SCREW - M 6X10 TEF
CM109	5050507011	CIRCLIP - D 80 I
CM116	5050107109	SCREW - M 10X25 TEF - FL/ZIGR 8.8
CM117	5050107108	SCREW - M 8X25 TEF - FL/ZIGR 8.8
CM121	4060505039	OIL LEVEL INDICATOR MEC 9000-11000-13500
CM127	5050903003	PLUG - D 1/8" DIN 906
CM128	5050903004	PLUG - M 10X1 WITH AIR RELEASING
CM122	6010201045	REBUILD KIT - MEC 9000 LONG LIFE
CME122	6010201046	REBUILD KIT - MEC 11000 LONG LIFE
CMEC122	6010201047	REBUILD KIT - MEC 13500 LONG LIFE



ARTICLE	CODE	DESCRIPTION
CBA1	4010101130	HOUSING - BALLAST 11000 LF
CBA1/LA	4010101131	HOUSING - BALLAST 11000 LA
CBA1/LA/A	4010101190	HOUSING - BALLAST 11000 LA - ATEX
CBAL1	4010101132	HOUSING - BALLAST 13500 LF
CBAL1/LA	4010101133	HOUSING - BALLAST 13500 LA
CB2	4010301028	GEARBOX - MEC 9000-11000-13500/M
CB3	4010401061	FRONT & BACK FLANGE MEC 9000-11000-13500
CB4	4030108048	BODY GASKET MEC 9-11-13500
CBA5/M10	4010220179	ROTOR - BALLAST 11000/M KEY 10
CBAL5/M10	4010220180	ROTOR - BALLAST 13500/M KEY 10
CB6	5050707032	KEY10X8X25
CB7	4070113192	LONG LIFE BLADE MEC 9000 300X60X6,5
CB7	4070113193	LONG LIFE BLADE MEC 11000 370X60X6,5
CBAL7	4070113194	LONG LIFE BLADE MEC 13500 460X60X6,5
CB8	5012207001	COMPRESSION & THRUST RING D80
CB9	5050507017	CIRCLIP - D 40 E
CB12	5012107010	BALL BEARING - 6307
CB13	5030210028	SEAL RING - OR 2337 LF PUMP
CB15	5060605006	BLACK PLUG - D 2" GAS
CB18	5030300042	OIL SEAL - 48X62X10 DCV - FKM
CB21	5060605001	OIL PLUG - D 3/8" GAS
CB23	5050107018	SCREW - M 10X16 TE
CB24	5050202002	ALUMINIUM WASHER - D 10X16X1,5
CB25	5012107006	BALL BEARING - 6304
CB26/M	4020507003	GEAR WITH SHAFT - Z53-M2,5 MEC 6,5-8000
CB26/MA	4020507012	GEAR WITH SHAFT MEC9-13500/MA Z43-M2,5
CB27	5030300005	OIL SEAL - 35X62X10
CB28	4030108049	GEARBOX COVER GASKET MEC 9-11-13500
CB30	5060105004	OIL LEVEL PLUG - D 3/8" GAS
CB31	5050107168	SCREW - M 8X40 TEF
CB32	5050300002	SELF-LOCKING NUT - M 27X2X16
CB33/M	4020607059	PINION MEC 9-11-13500/M Z23-M2,5
CB33/MA	4020607057	PINION MEC 9-11-13500/MA Z33-M2,5
CB34	5050207032	WASHER - D 10X28X4 - DIN 6340
CB39	4030109035	MANIFOLD GASKET MEC 9-11-13500
CB40	5030300015	OIL SEAL - 35X50X7
CB45	4012007011	SPRING - MEC 9-11-13500
CB48	5012107004	BALL BEARING - 6208
CB57	4011707067	SPACER ROTOR M MEC 9000-11000-13500
CB58	5050207031	TEFLON WASHER REV.GEAR MEC 9-11-13500
CB59	5101800000	THERMO LABEL
CB62	4010701018	REVERSING GEAR MEC 9-13500
CB63	4010406017	FLANGE FOR ELBOW - STAR D80


ARTICLE	CODE	DESCRIPTION
CBA63	4010406015	FLANGE FOR ELBOW - STAR D100
CB64	5030210008	SEAL RING - OR 189 STAR UL
CB65	4010601056	MANIFOLD COVER - MEC 9_13500-STAR-WPT/UL
CB66	5050107054	SCREW - M 10X35 TE
CB67	4010501026	MANIFOLD MEC 9000-11000-13500
CB68	4030109025	MANIFOLD COVER GASK-MEC 9_13500-STAR-WPT
CB83	4010901018	REVOLVING ELBOW - MEC 9_13500-STAR D 76
CBA83	4010901019	REVOLVING ELBOW - MEC 9_13500-STAR D 80
CBAL83	4010901020	REVOLVING ELBOW - MEC 9_13500-STAR D 100
CB88/4	4010401063	FRONT FLANGE - MEC 9000-11000-13500/H G.4
CB94	4010601154	GEARBOX COVER - MEC 9-13500
CB95	4060505000	SHAFT GUARD - CE
CB96	5050906006	PLUG - D 16X1
CB97	5050202007	ALUMINIUM WASHER - D 16X20X1,5
CB103	5050107026	SCREW - M 10X25 TCEI
CB106	5060100001	OIL LEVEL ROD - MM 18X55
CB108	5050107107	GALVANIZED SCREW - M 6X10 TEF
CB109	5050507011	CIRCLIP - D 80 I
CB116	5050107109	SCREW - M 10X25 TEF - FL/ZIGR 8.8
CB117	5050107108	SCREW - M 8X25 TEF - FL/ZIGR 8.8
CB118	5030210063	SEAL RING - OR 177.47X2.62 MEC 9-13500/G
CB119	4010601153	FRONT COVER - MEC 5-13500/P AL
CB120/A	5090000123	TEMPERATURE SWITCH - POZZ. 1/2" GAS
CB121	4060505039	OIL LEVEL INDICATOR MEC 9000-11000-13500
CB127	5050903003	PLUG - D 1/8"
CB128	5050903004	PLUG - M 10X1 WITH AIR RELEASING
CB161	4030110028	GASKET BALLAST2 MEC 11000-13500
CB162	5050207002	SMOOTH WASHER - D 6
CB164	4010007057	DUCT BALLAST 11000-13500
CB165	5040303030	UNIDIRECTIONAL VALVE D 3/4" BALLAST
CB166	5080005004	AIR FILTER - ONE-WAY VALVE 3/4"
CB167	5050107008	SCREW - M 6X16 TCEI
CB193	4010801043	HANDLE SQUARE CONNECTION
CB194	5050300016	SELF-LOCKING NUT - M 10X1 VARGAL
CB195	5050207008	BLANK WASHER - D 10X40
CB196	4012007015	SPRING FOR POPPET VALVE BALLAST-AIDA
CB197	4011707114	GUIDE FOR POPPET VALVE BALLAST-AIDA
CB198	4010401082	FLANGE SUPPORT CHECK VALVE - BALL9-13500
CB199	4010006026	POPPET VALVE - BALLAST16000/BALLAST AIDA
CB200	4030109060	POPPET V. LOCK GASKET - BALLAST 9-13500
CBA122/BAL	6010201049	REBUILD KIT - BALLAST 11000
CBAL122/BAL	6010201050	REBUILD KIT - BALLAST 13500

BALLAST 16000 M-MA




ARTICLE	CODE	DESCRIPTION
DM2	4010301032	GEARBOX – BALLAST 16000/M-MA
DM3	4010401074	FRONT & BACK FLANGE BALLAST 16000
DM4	5030210078	SEAL RING – OR 3101 257.8 X 2.62
DM8	5012207003	COMPRESSION & THRUST RING D.100
DM9	5030210079	SEAL RING – OR 2093
DM12	5012107050	BALL BEARING 6308
DM14	5012107049	ROLL BEARING NU309
DM18	5030300045	OIL SEAL – 60X75X10
DM19	5040303030	UNIDIRECTIONAL VALVE ¾" BALLAST
DM20	5080005004	AIR FILTER – ONE WAY VALVE ¾"
DM21	5060605001	OIL PLUG – D. 3/8" GAS
DM25	5012107051	BALL BEARING 6306
DM26/M	4020507015	GEAR WITH SHAFT BALLAST 16000/M Z58-M3
DM26/MA	4020507016	GEAR WITH SHAFT BALLAST 16000/MA Z47-M3
DM27	5030300014	OIL SEAL 40 X 62 X 10
DM28	4030108067	GASKET GEARBOX COVER BALLAST 16000
DM29	4010601187	LA PUMP SUPPORT BACK COVER
DM32	5050300003	SELF-LOCKING NUT – M30X2X25
DM33/M	4020607060	PINION BALLAST 16000/MZ23-M3
DM33/MA	4020607061	PINION BALLAST 16000/MA Z34-M3
DM35	4060505057	MANIFOLD FILTER CARTRIDGE BALLAST 16000
DM36	4010601179	FILTER COVER BALLAST 16000
DM38	5051206003	FEMALE EYEBOLT – M10 – CE GALVANISED
DM39	4030109056	MANIFOLD GASKET – BALLAST 16000
DM40	5030300015	OIL SEAL – 35 X 50 X 7
DM44	5051206004	MALE EYEBOLT – M12 – CE
DM45	4012007011	SPRING – MEC 9-11-13500
DM48	5012107052	BALL BEARING 6309

ARTICLE	CODE	DESCRIPTION
DM53	5030300031	OIL SEAL 45 X 62 X 10
DM57	4060505060	LUBRIC.PUMP GUARD BALLAST 16000
DM58	5050207031	TEFLON WASHER REV.GEAR MEC 9-11-13500
DM62	4010701021	REVERSING GEAR – BALLAST 16000
DM63	4010406017	FLANGE FOR ELBOW – D80
DME63	4010406015	FLANGE FOR ELBOW – D100
DM64	5030210008	SEAL RING – OR 189 STAR UL
DM65	4010601186	REVERSING GEAR COVER – BALLAST 16000
DM67	4010501033	MANIFOLD BALLAST 16000 FILTER PREDISPOSED
DM80	5030300016	OIL SEAL 65 X 85 X 10
DME83	4010901019	REVOLVING ELBOW BALLAST 16000 – D.80
DMEC83	4010901020	REVOLVING ELBOW BALLAST 16000 – D.100
DM89	5050507012	CIRCLIP – D.45E
DM91	4010006002	CONNECTOR JOINT – L.F.
DM118	5030210050	SEAL RING – OR4475 NBR
DM224	4012007015	SPRING FOR VALVE BALLAST-AIDA
DM225	4011707114	GUIDE FOR VALVE BALLAST-AIDA
DM226	4010006026	VALVE FOR BALLAST 16000
DM229	4010601180	GEARBOX COVER BALLAST 16000
DM236	5030210083	SEAL RING – OR3525
DM237	4010101180	HOUSING – BALLAST 16000
DM238	4010220223	ROTOR – BIG MEC 16000
DM240	4010501035	DIFFUSER BALLAST 16000
DM241	4030109055	DIFFUSER GASKET – BALLAST 16000
DM242	4010801043	HANDLE – MEC 9-13500
DM243/M-MA	4011907117	FRONT PIN BALLAST 16000/M-MA-6P
DM245	5040407006	STRAIGHT CONNECTOR – M/MA ¾" GAS
DM252	5050507029	CIRCLIP – D55E – DIN 471



ARTICLE	CODE	DESCRIPTION
1/B	4010101209	HOUSING BALLAST 16500
2	4010220244	CONTINUOUS CASTING ROTOR MEC/BALLAST 16500
3	4010301032	GEARBOX - BALLAST 16000/M-MA
4	4010601180	GEARBOX COVER - BALLAST 16000/M-MA
5	4011907117	FRONT PIN BALLAST 16000/M-MA - 6P
6	4011907124	REAR PIN BALLAST 16000 - 6P
7	4020507015	GEAR WHIT SHAFT - BALLAST 16000/M Z58 - M3
8	4020607060	PINION - BALLAST 16000/M Z23-M3
9	4030108067	GASKET GEARBOX COVER - BALLAST 16000/M-MA
10	4060505018	SHAFT GUARD - GARDA-LEDRA CE
11	5012107009	BALL BEARING 6306
12	5012107011	BALL BEARING 6308
13	5012107012	BALL BEARING 6309
14	5012207003	COMPRESSION E THRUST RING Ø 100 - LMKAS 10
15	4030108070	FLANGE GASKET - KPS 550-670
16	4030108023	BACK COVER GASKET - WPT-KTS
17	5030300014	OIL SEAL - 40X62X10
18	5030300045	OIL SEAL - 60X75X10 DCP
19	5050107103	SCREW - M 10X50 TCEI 12.9 UNI5931
20	5050107109	SCREW - M 10X25 TEF - DIN 6921 ISO 8100
21	5050107197	GAVANIZED SCREW - M 6X10 TEF - DIN 6921
22	5060605011	OIL PLUG - D 3/8" GAS
23	5060105004	OIL LEVEL PLUG - D 3/8" GAS
24	5050300003	SELF-LOCKING NUT - M 30X2X25
25	5050906008	PLUG D 3/8" GAS - DIN 908 -
26	5050202008	ALUMINIUM WASHER - D 17X22X1,5
27	5050507028	CIRCLIP - D 100 I - DIN 472
28	5050707033	KEY - 12X8X36
29	4010401074	FRONT E BACK FLANGE BALLAST 16000-KPS
30	5012107067	ROLL BEARING NU 309
31	5050202007	ALUMINIUM WASHER - D 16X20X1,5
32	5050906006	PLUG - D 16x1,5 - DIN 908 -
33	4010601187	L.A. PUMP SUPPORT BACK COVER
34	5050107009	SCREW - M 8X20 TE - UNI5739
35	5050812005	LUBRICATOR - 1/8" GAS
36	5050903001	PLUG - M 10x1 - DIN 906

ARTICLE	CODE	DESCRIPTION
37	5051007029	DOWEL M10X1X30 P.P. UNI 5924
38	4070113283	STANDARD BLADE - MEC/BALLAST 16500 460X67X7,5
39	4010501044	MANIFOLD C115
40	4010007102	ASP. MANIFOLD C115
41	4010406015	FLANGE FOR ELBOW - D 100
42	4010601186	REVERSING GEAR COVER - BALLAST 16000
43	4010701028	REVERSING GEAR - MANIFOLD C115
44	4010801043	HANDLE
45	4010901020	REVOLVING ALBOW - D 100
46	4012007011	SPRING - MEC 9-11-13500
47	4030109072	MANIFOLD GASKET C115
48	4030110034	ASP. MANIFOLD GASKET C115
49	5030210008	SEAL RING - OR 189 STAR UL
50	5030210083	SEAL RING - D 133.02X2.62 OR3525
51	5030300015	OIL SEAL - 35X50X7 TC
52	5050107054	SCREW - M 10X35 TE - UNI5739
53	5060605005	BLACK PLUG - D 1 1/2" GAS
54	5050107143	GALVANIZED SCREW - M 8X30 TCEI
55	5050207022	WASHER D 8X23X4 - DIN 6340
56	5050207031	TEFLON WASHER REV. GEAR. MEC 9-11-13500
57	5050812001	LUBRICATOR - M 10X1
58	5050903003	PLUG - D 1/8" - DIN 906
60	5060605006	BLACK PLUG - D 2" GAS
61	5050207003	WASHER D 8
126	5050107008	SCREW - M 6X16 TCEI
130	5080005004	AIR FILTER - ONE WAY VALVE 3/4"
131	5040303030	UNIDIRECTIONAL VALVE 3/4" - BALLAST
132	4010007057	DUCT BALLAST 11000-13500
133	4030110028	GASKET DUCT BALLAST 11000-13500
134	5050300016	SELF-LOCKING NUT M 10X1,5 VERGAL
135	5050207008	BLANK WASHER Ø 10X40
136	4012007015	SPRING FOR VALVE BALLAST
137	4011707114	GUIDE FOR VALVE BALLAST
138	4010401082	FLANGE SUPPORT CHECK VELVE - BALLAST 9-13500
139	4010006026	POPPET VALVE - BALLAST 16000



ARTICLE	CODE	DESCRIPTION
KTS1	4010101062	HOUSING - KTS 1080
K3	4010401045	FRONT FLANGE - KTS
K4	4030109032	FLANGE GASKET - KTS
KTS7	4070113107	EM4300 BLADE - KTS 1080 640X80X6.7
K9	4011907046	BACKPIN - KTS-KTM 1200-1500
K12	4010406019	GEARBOX COUPLING FLANGE - KTS/M
K13	4030108042	BACKAND FRONT COVER GASKET - KTM
K16	4010606007	SIDE COVER - KTS
K17	5030210039	SEAL RING - OR 206 WSM CL
K20	5050207004	SMOOTH WASHER - D 10
K23	5050107052	SCREW - M 12X25 TCEI
K24	4030109030	MANIFOLD GASKET
K29	5050207005	SMOOTH WASHER - D 12
K33	5050202013	COPPER WASHER - D 3/4"X32,5
K34	4030108022	FLANGE GASKET - WPT
K36	5051206002	MALE EYEBOLT - M 16 - CE
K37	5050906007	PLUG - D 2" GAS DIN 908
K39	5050906012	DOWEL - D 1/4" GAS DIN 906
K48	5012107026	ROLLER BEARING - NJ 410
K56	4010501015	MANIFOLD
K61	5030300015	OIL SEAL - 35X50X7 TC
K62	4010601056	MANIFOLD COVER
K63	4030109025	MANIFOLD COVER GASKET
K65	4030109017	VALVE COVER GASKET
K66	5060410007	RUBBER BALL - D 90
K67	5030210008	SEAL RING - OR 189 UL
K68	4010406017	FLANGE FOR ELBOW - D80
KS68	4010406015	FLANGE FOR ELBOW - D100
K69	4010901018	REVOLVING ELBOW - D76
KS69	4010901019	REVOLVING ELBOW - D80
KTS69	4010901020	REVOLVING ELBOW - D100
K70	5050107054	SCREW - M 10X35 TE
K72	5012107012	BALL BEARING - 6309
K75	5012107009	BALL BEARING - 6306
K77	5012107011	BALL BEARING - 6308
K78	5030300014	OIL SEAL - 40X62X10
K79	5060605002	OIL PLUG - D 1/2" GAS
K83	5050107018	SCREW - M 10X16 TE

ARTICLE	CODE	DESCRIPTION
K84	5050202002	ALUMINIUM WASHER - D 10X16X1.5
K86	5060105004	OIL LEVEL PLUG - D 3/8" GAS
K118	5050107027	SCREW - M 12X30 TE
K151	4011006007	COOLING PUMP CONNECTION SUPPORT - KTS
K193	5050906005	PLUG - D 1"1/4 DIN 908
K194	5050202000	ALUMINIUM WASHER - D 1"1/4
K203	5100200032	OVER-PRESSURE VALVE - D 2"1/2 WITH HOSE
K204	5100200012	DEPRESSION VALVE - D 1"1/2 GAS
K205	4010601142	VALVE COVER - KTS
K212	4060505018	SHAFT GUARD - KTS/MFR-MAFR
K214	5050107104	SCREW - M 12X55 TCEI 12.9 UNI 5931
K218	5050107108	SCREW - M 8X25 TEF - FL/ZIGR 8.8
K219	5050107109	SCREW - M 10X25 TEF - FL/ZIGR 8.8
K221	4010601118	GEARBOX COVER - M-MA CE
K222	4010301027	GEARBOX - M/MA
K223	5030300013	OIL SEAL - 55X68X8
K224	4030108019	GEARBOX COVER GASKET
K225	5050300005	SELF-LOCKING NUT - M 30X2X19
K226/M	4020507005	GEAR WITH SHAFT - Z52-M2,5 STAR-WPT/M
K226/MA	4020507009	GEAR WITH SHAFT - Z44-M2,5 STAR-WPT/MA
K227/M	4020607040	PINION - Z26-M2,5 STAR-WPT/M 10MM
K227/MA	4020607041	PINION - Z34-M2,5 STAR-WPT/MA 10MM
K228	4011907079	FRONT PIN - KTS/M-MA
K229	5050707027	KEY - 10X8X30
K230	5050207022	WASHER - 8X23X4 - DIN 6340
K231	5050906006	PLUG - D 16X1.5 - DIN 908
K232	5050202007	ALUMINIUM WASHER - D 16X20X1,5
K281	5050202006	ALUMINIUM WASHER - D 2" GAS
K286	5050207031	TEFLON WASHER REV. GEAR
K287	4010801043	HANDLE SQUARE CONNECTION
K288	5050207032	WASHER - D 10X28X4 - DIN 6340
K289	4010701018	REVERSING GEAR
K290	5050107102	SCREW - M 16X25 TE
K291	5050107107	GALVANIZED SCREW - M 6X10 TEF
K293	5050107044	SCREW - M 10X20 TCEI
K295	4012007011	SPRING
K245	6010201036	REBUILD KIT - KTS 840 LONG LIFE



Specialist provider of
DAIRY EFFLUENT EQUIPMENT

NZ 0800 464 393
nevadagroup.co.nz

AUS 1800 963 490
nevadagroup.com.au

 **nevada**[®]
Sustainable Effluent Management